


XAL-8884

Environment Monitoring System for Server Room

Real-Time Data Logging & Alarm Monitoring Solution



Real-time
Data



Device
Status



Display
Models



Named
Channel



Google
Map



Graph



Real time
Control



Group



Email
Alert



Remote
Configuration



Support Multilevel account ,Private device Group for every account
Manage device into group channel graphical display , real-time data
Device status real-time display , online , offline alarm
Customizable Channel information
Support graph , research and export data
Web based operation , no need to install any software
Easy to Track position by Google Map
Provide OPC server for SCADA

Overview

Real-Time Data Logging & Alarm Monitoring Solution

The Environment Monitoring System for Server Room is a high-performance solution designed to track temperature, humidity, and environmental conditions in real-time. Equipped with GPRS/3G/SMS/Wi-Fi connectivity, this system ensures that critical data is continuously monitored, providing instant alerts and remote control access via cloud platforms.





T & H Wireless Logger on cloud

- Logger Mode : GPRS , Optional wifi
- Customized Logger interval
- History record query and export
- Support connect Max 4 cloud or local servers



T & H Real -time Monitor on Cloud

- Real-time T7H on web with mutli display Modes
- Support T&H graph list
- Device status real-time display , online , office line , Alarm
- Google Map track Device position



T & H Alarm

- Customized low and high level for alarm
- T&H alarm on web with notice , icon and sound alert
- SMS alarm
- Cloud email alarm
- Device local sound and light alarm







T & H Control




- Programmable local output control
- SMS remote Control
- Control on web

System Workflow


How It Works



Applications



Key Features



Specification

Model Number:	XAL-8884
Monitoring Type:	Temperature & Humidity
Connectivity:	GPRS / 3G / SMS / Wi-Fi
Cloud Storage:	Yes
Real-Time Alerts:	SMS, Email, Alarm Notifications
Temperature Range:	-30°C to +70°C
Humidity Range:	0% to 100% RH
Power Failure Alarm:	Yes
Remote Configuration:	Web & Mobile App
Graphical Data Logs:	Real-time graphs & exportable reports